



DesignMax Loudspeakers


System Examples

BACKGROUND/FOREGROUND MUSIC

BACKGROUND/FOREGROUND MUSIC



DesignMax in-ceiling models offer a superior dining experience for your guests. The DM5C and DM6C provide the perfect balance of moderate-to-high level background music, enhanced bass response, and voice amplification for public spaces like bars and dining areas. For a mix-and-match installation, pair DesignMax with FreeSpace FS models, such as the FS2C, which are ideal for use in the kitchen due to their use of PC-PBT plastics that are resilient to cooking oil. The PowerSpace 4300+ amplifier ensures that all the loudspeakers in each zone are working at their best. Provide simple controls like the CC-1 and CC-2 for volume and source selection for your staff. Upgrade your restaurant's audio system with DesignMax and enhance the overall dining experience for your guests.



Zone 1: Bar – Experience Space

- Premium Sound
- 10' Between Speakers
- · Speakers @ 10' Height

Zone 2: Dining – Experience Space

- Premium Sound
- 13.4' Between Speakers
- · Speakers @ 10' Height

Zone 3: Bathrooms – Utility Space

- · Basic Sound
- · Speakers Flush in-ceiling
- Spaced as required

Zone 4: Kitchen – Utility Space

- · Basic Sound
- · 12' Between Speakers
- · Speakers @ 10' Height

Host – Utility Space

Provide indirect coverage

Wait Station – Utility Space

Avoid Coverage as possible

LEGEND

- In-ceiling DesignMax Loudspeaker
- In-ceiling FreeSpace Loudspeaker
- Remote Volume Control/ Source Selection
- ▲ Rack/Amplifier

Restaurant Setup & Configuration	Equipment Rack Cable/Sat Box Music Player	Zone 1 - Bar DM6C DM6C DM6C DM6C DM6C DM6C DM6C
Computer to Access P4300+ Web Server UI Wireless Access Point Network Switch	Zone 18.2 P4300+ Five Alarm Zone 58.4	Zone 2 - Dining Area DMSC DMSC DMSC DMSC DMSC DMSC Host Stand Zone 3 - Restrooms DM3C DM3C DM3C DM3C
	EISE CAN CONTROL OF THE PARTY O	Zone 4 - Kitchen F52C F52C F52C

Legend	Model (SKU)	Description	Qty
	DM6C (829679-0110)	DesignMax 6C 6.5 inch coaxial 100W Ceiling Speaker	4
	DM5C (829683-0110)	DesignMax 5C 5.25 inch coaxial 50W Ceiling Speaker	8
	FS2C (854154-0210)	FreeSpace FS2C Ceiling Speaker	3
A	P4300+ (803289-1110)	PowerSpace 4300+ Amplifier & DSP 300W X 4	1
1.0	CC-2 (768938-0110)	CC-2 Volume Control w/ AB Switch	2
1.0	CC-1 (768932-0110)	CC-1 Volume Control	2
100	CV41 (768928-0010)	ControlCenter 4 to 1 Converter	1

Design and equipment list provided as a reference.

Exact equipment and quantities will need to be determined as required for actual space.

Mounting accessories and non-Bose components will need to be provided for a complete and functional system.


2

BACKGROUND/FOREGROUND MUSIC

BACKGROUND/FOREGROUND MUSIC



Designmax Surface mount loudspeakers provide a top-of-the-line audio experience, making them the perfect choice for creating the ideal atmosphere in multi-zone dining areas. The DM8S delivers full-range, powerful audio that's suitable for live performances and entertainment, as well as background listening. The DM6SE is ideal for delivering premium audio outdoors, thanks to its IP55 rating and rust-resistant aluminum grills. The DM5SE and DM2C-LP loudspeakers provide excellent audio for utility and working spaces, ensuring that all communication and guest accommodations are covered throughout the venue experience. Upgrade your venue's audio system with Designmax Surface mount loudspeakers for a truly premium experience.



Zone 1: Bar – Experience Space

- Premium Sound
- 10' Between Speakers
- · Speakers @ 10' Height

Zone 2: Dining – Experience Space

- Premium Sound
- · 13.4' Between Speakers
- · Speakers @ 10' Height

Zone 3: Patio - Outdoor Space

- Premium Sound
- Speakers Outdoor rate
- Spaced as required

Zone 4: Bathrooms - Utility Space

- Basic Sound
- Speakers Flush in-ceiling
- Spaced as required

Host – Utility Space

Provide indirect coverage

Wait Station – Utility Space

Avoid Coverage as possible


LEGEND

Surface Mounted
DesignMax Loudspeaker

In-ceiling DesignMax Loudspeaker

Remote Volume Control/ Source Selection

Rack/Amplifier



Legend	Model (SKU)	Description	Qty
-	DM8S (801332-0110)	DesignMax 8S 8 inch coaxial 100W Ceiling Speaker	6
•	DM6SE (829682-0110)	DesignMax 6C 6.5 inch coaxial 100W Ceiling Speaker	4
-	DM5SE (829705-0110)	DesignMax 5C 5.25 inch coaxial 50W Ceiling Speaker	2
	DM2C-LP (815011-0110)	DesignMax 2C-LP Low Profile 16W Ceiling Speaker	3
A	CSP1248 (808456-0110)	12x8 DSP with web GUI	1
A	P4300A (803288-1110)	PowerSpace 4300A Amplifier 300W X 4	1
1.0	MIMO PAD (776978-0010)	PowerSpace 4300A Amplifier 300W X 4	1
	MIMO Back Box (782691-0010)	7" Touch Panel	1

Design and equipment list provided as a reference.

Exact equipment and quantities will need to be determined as required for actual space.

Mounting accessories and non-Bose components will need to be provided for a complete and functional system.


4

FULL RANGE BACKGROUND MUSIC





Enhance your fitness facility with DesignMax pendant loudspeakers that will energize and motivate your members with high-SPL foreground music. The DM5P and DM6PE models can be suspended from the ceiling using the included 15-foot cable, providing an immersive and evenly distributed sound experience throughout the space. For added excitement, add the 300-watt DM10P-SUB for deep bass down to 40 Hz. The DesignMax pendant loudspeakers are also designed to seamlessly blend with the rest of the DesignMax line, so you can use the DM3C in-ceiling model for low-level background music in areas like restrooms.



Zone 1: Cardio - Experience Space

- Premium Sound
- 10' Between Speakers
- Speakers @ 10' Height

Zone 2: Weights – Experience Space

- Premium Sound
- 13.4' Between SpeakersSpeakers @ 10' Height

Zone 3: Restrooms – Utility Space

- Basic Sound
- Speakers Flush in-ceiling
- Spaced as required

LEGEND

- In-ceiling DesignMax Loudspeaker
- Pendant Mounted
 DesignMax Loudspeaker
- Pendant Mounted DesignMax Subwoofer
- Remote Volume Control/ Source Selection
- ▲ Rack/Amplifier/DSP

	Equipment Rack	Zone 1
Fitness	Network Switch Wireless Access Point	
Setup & Configuration Computer to Access ESP880A Using		DM6PE DM6PE DM6PE DM6PE DM10P-SUB DM10P-SUB
ControlSpace Designer	Music Player 1	Zone 2
AAN	Music Player 2 Fine Adams ESP-880A	DMSP DMSP DMSP DMSP DMSP
Mobile Control Mobil Device with	Zone 1	Zone 3
CSR App	P4300A Zone 2&3	DM3C DM3C

Legend	Model (SKU)	Description	Qty
	DM6PE (841168-0110)	DesignMax 6PE 6.5 inch coaxial 100W Pendant Speaker	4
S	DM10P-SUB (835265-0110)	DesignMax 10P-SUB 10 inch Pendant Sub-Woofer	2
	DM3C (829708-0110)	DesignMax 3C 3.5 inch coaxial 25W Ceiling Speaker	2
	DM5P (841166-0110)	DesignMax 5P 5.25 inch coaxial 50W Pendant Speaker	5
A	P4300A (803288-1110)	PowerSpace 4300A Amplifier 300W X 4	1
A	ESP-880A (812862-1110)	8x8 DSP with 8 Analog Inputs 8 Outputs	1
1.0	CC-3D (808930-0110)	CC-3D Volume Control w/ 4 Source Select	1
1	CC-2D (808928-0110)	CC-2D Volume Control w/ 2 Source Select	1
1	CC-1D (808461-0110)	CC-1D Volume Control	1

Design and equipment list provided as a reference.

Exact equipment and quantities will need to be determined as required for actual space.

Mounting accessories and non-Bose components will need to be provided for a complete and functional system.

5